

**Clinical Measures for Nursing Homes in Bristol County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
<b>Bristol</b>														
Rhode Island Veterans Home	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Saint Elizabeth Manor	10% ♦♦	2% ♦♦	3% ♦♦♦	2% ♦♦	5% ♦♦	19% ♦♦	53% ♦♦	8% ♦♦	2% ♦♦	13% ♦♦	12% ♦♦	3% ♦♦	32% ♦♦	15% ♦♦
Silver Creek Manor	28% ♦	3% ♦♦	21% ♦♦	0% ♦♦♦	4% ♦♦	4% ♦♦♦	50% ♦♦	4% ♦♦	2% ♦♦	15% ♦♦	11% ♦♦	N/A	N/A	N/A
<b>Warren</b>														
Crestwood Nursing & Conv Home	19% ♦♦	5% ♦♦	10% ♦♦	0% ♦♦♦	0% ♦♦♦	20% ♦♦	51% ♦♦	8% ♦♦	1% ♦♦	16% ♦♦	3% ♦♦	N/A	N/A	N/A
Grace Barker Nursing Ctr	19% ♦♦	2% ♦♦	N/A	0% ♦♦♦	0% ♦♦♦	23% ♦	40% ♦♦	5% ♦♦	0% ♦♦♦	15% ♦♦	8% ♦♦	N/A	N/A	N/A
Haven Health Ctr of Warren	10% ♦♦	2% ♦♦	N/A	N/A	0% ♦♦♦	12% ♦♦	32% ♦♦	4% ♦♦	2% ♦♦	N/A	4% ♦♦	0% ♦♦♦	7% ♦♦	17% ♦♦
<b>State Average</b>	15%	4%	17%	3%	4%	13%	42%	6%	2%	14%	9%	3%	20%	25%
<b>National Average</b>	17%	6%	14%	3%	7%	15%	47%	6%	4%	14%	9%	3%	22%	20%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

**Clinical Measures for Nursing Homes in Kent County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Coventry														
Alpine Nursing Home Inc	10%  ♦♦	1%  ♦♦	N/A	5%  ♦♦	28%  ♦	6%  ♦♦	40%  ♦♦	2%  ♦♦	2%  ♦♦	7%  ♦♦	12%  ♦♦	N/A	N/A	N/A
Haven Health Ctr of Coventry	17%  ♦♦	6%  ♦♦	22%  ♦♦	4%  ♦♦	15%  ♦	9%  ♦♦	51%  ♦♦	8%  ♦♦	1%  ♦♦	14%  ♦♦	15%  ♦	4%  ♦♦	31%  ♦	20%  ♦♦
Laurel Healthcare Center	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Riverview Healthcare Community	33%  ♦	2%  ♦♦	25%  ♦♦	5%  ♦♦	8%  ♦	9%  ♦♦	41%  ♦♦	13%  ♦	4%  ♦♦	27%  ♦	22%  ♦	0%  ♦♦♦	23%  ♦♦	19%  ♦♦
Woodpecker Hill	13%  ♦♦	0%  ♦♦♦	N/A	N/A	3%  ♦♦	11%  ♦♦	N/A	3%  ♦♦	0%  ♦♦♦	N/A	6%  ♦♦	N/A	N/A	N/A
East Greenwich														
St. Elizabeth Home	10%  ♦♦	3%  ♦♦	4%  ♦♦♦	3%  ♦♦	0%  ♦♦♦	9%  ♦♦	39%  ♦♦	4%  ♦♦	1%  ♦♦	7%  ♦♦	5%  ♦♦	N/A	N/A	N/A
Warwick														
Avalon Nursing Home Inc.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Brentwood Nursing Home Inc	13%  ♦♦	2%  ♦♦	N/A	0%  ♦♦♦	4%  ♦♦	9%  ♦♦	40%  ♦♦	5%  ♦♦	4%  ♦♦	8%  ♦♦	10%  ♦♦	1%  ♦♦	13%  ♦♦	34%  ♦♦
Harborside/Greenwood House Nursing Home	15%  ♦♦	5%  ♦♦	25%  ♦♦	2%  ♦♦	5%  ♦♦	13%  ♦♦	54%  ♦♦	8%  ♦♦	0%  ♦♦♦	14%  ♦♦	18%  ♦	1%  ♦♦	25%  ♦♦	24%  ♦♦
Harborside/Pawtuxet Village Nursing Home	12%  ♦♦	9%  ♦	21%  ♦♦	3%  ♦♦	6%  ♦♦	10%  ♦♦	54%  ♦♦	7%  ♦♦	6%  ♦	14%  ♦♦	19%  ♦	1%  ♦♦	28%  ♦♦	15%  ♦♦
Kent Regency	16%  ♦♦	2%  ♦♦	20%  ♦♦	N/A	5%  ♦♦	28%  ♦	56%  ♦♦	7%  ♦♦	0%  ♦♦♦	13%  ♦♦	15%  ♦	6%  ♦	14%  ♦♦	35%  ♦♦
Sunny View Nursing Home	10%  ♦♦	2%  ♦♦	N/A	N/A	0%  ♦♦♦	11%  ♦♦	N/A	0%  ♦♦♦	3%  ♦♦	11%  ♦♦	5%  ♦♦	N/A	N/A	N/A
West Shore Health Center	17%  ♦♦	5%  ♦♦	18%  ♦♦	3%  ♦♦	3%  ♦♦	11%  ♦♦	41%  ♦♦	3%  ♦♦	5%  ♦	9%  ♦♦	10%  ♦♦	0%  ♦♦♦	15%  ♦♦	17%  ♦♦
West Warwick														
West View Nursing Home	17%  ♦♦	2%  ♦♦	25%  ♦♦	2%  ♦♦	5%  ♦♦	8%  ♦♦	51%  ♦♦	2%  ♦♦♦	8%  ♦	14%  ♦♦	12%  ♦♦	0%  ♦♦♦	11%  ♦♦	34%  ♦♦
State Average	15%	4%	17%	3%	4%	13%	42%	6%	2%	14%	9%	3%	20%	25%
National Average	17%	6%	14%	3%	7%	15%	47%	6%	4%	14%	9%	3%	22%	20%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

**Clinical Measures for Nursing Homes in Newport County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
<b>Middletown</b>														
Forest Farm Health Care Ctr	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0% ♦♦♦	0% ♦♦♦	19% ♦♦
Grand Islander Health Care Ctr	21% ♦♦	4% ♦♦	6% ♦♦♦	N/A	18% ♦	20% ♦♦	54% ♦♦	5% ♦♦	0% ♦♦♦	20% ♦♦	6% ♦♦	0% ♦♦♦	20% ♦♦	38% ♦
John Clarke Retirement Ctr	14% ♦♦	2% ♦♦	11% ♦♦	N/A	13% ♦	15% ♦♦	59% ♦	8% ♦♦	4% ♦♦	9% ♦♦	7% ♦♦	N/A	N/A	N/A
<b>Newport</b>														
Heatherwood Nsg & Rehab	8% ♦♦♦	3% ♦♦	24% ♦♦	N/A	0% ♦♦♦	18% ♦♦	59% ♦	2% ♦♦	5% ♦	11% ♦♦	7% ♦♦	4% ♦♦	7% ♦♦♦	24% ♦♦
Newport Hospital dba Vanderbilt Rehab Ctr	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2% ♦♦	45% ♦	28% ♦♦
St Clares Home for the Aged	8% ♦♦	0% ♦♦♦	N/A	N/A	0% ♦♦♦	7% ♦♦	48% ♦♦	0% ♦♦♦	2% ♦♦	N/A	7% ♦♦	N/A	N/A	N/A
Village House	15% ♦♦	3% ♦♦	12% ♦♦	2% ♦♦	6% ♦♦	4% ♦♦♦	49% ♦♦	3% ♦♦	0% ♦♦♦	10% ♦♦	5% ♦♦	0% ♦♦♦	11% ♦♦	16% ♦♦
<b>Tiverton</b>														
Sakonet Bay	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<b>State Average</b>	15%	4%	17%	3%	4%	13%	42%	6%	2%	14%	9%	3%	20%	25%
<b>National Average</b>	17%	6%	14%	3%	7%	15%	47%	6%	4%	14%	9%	3%	22%	20%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

**Clinical Measures for Nursing Homes in Providence County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Burrillville														
Bayberry Commons Inc	12% ♦♦	1% ♦♦	N/A	0% ♦♦♦	7% ♦♦	16% ♦♦	32% ♦♦♦	4% ♦♦	1% ♦♦	6% ♦♦♦	8% ♦♦	21% ♦	7% ♦♦	11% ♦♦♦
Overlook Nursing Home	7% ♦♦♦	1% ♦♦♦	2% ♦♦♦	0% ♦♦♦	0% ♦♦♦	5% ♦♦♦	29% ♦♦♦	6% ♦♦	0% ♦♦♦	10% ♦♦	6% ♦♦	N/A	N/A	N/A
Pine Grove Health Center	18% ♦♦	8% ♦♦	N/A	N/A	16% ♦	13% ♦♦	N/A	12% ♦	0% ♦♦♦	15% ♦♦	9% ♦♦	2% ♦♦	18% ♦♦	32% ♦♦
Central Falls														
Harris Health Care Center - North	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Mansion	19% ♦♦	0% ♦♦♦	N/A	0% ♦♦♦	2% ♦♦	2% ♦♦♦	19% ♦♦♦	2% ♦♦	0% ♦♦♦	7% ♦♦	0% ♦♦♦	N/A	N/A	N/A
Cranston														
Cedar Crest Nursing Ctr	7% ♦♦♦	4% ♦♦	16% ♦♦	0% ♦♦♦	0% ♦♦♦	24% ♦	43% ♦♦	7% ♦♦	4% ♦♦	10% ♦♦	11% ♦♦	2% ♦♦	22% ♦♦	19% ♦♦
Cra-Mar	N/A	2% ♦♦	N/A	N/A	3% ♦♦	12% ♦♦	N/A	7% ♦♦	0% ♦♦♦	N/A	0% ♦♦♦	N/A	N/A	N/A
Scandinavian Home Inc	13% ♦♦	2% ♦♦	N/A	8% ♦♦	5% ♦♦	24% ♦	39% ♦♦	7% ♦♦	5% ♦♦	9% ♦♦	8% ♦♦	N/A	N/A	N/A
Cumberland														
Emerald Bay Manor	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Grandview Nursing Home Inc	20% ♦♦	0% ♦♦♦	9% ♦♦	N/A	2% ♦♦	7% ♦♦	50% ♦♦	5% ♦♦	0% ♦♦♦	24% ♦	3% ♦♦	0% ♦♦♦	22% ♦♦	5% ♦♦♦
Mt St Rita Health	19% ♦♦	12% ♦	26% ♦♦	9% ♦♦	0% ♦♦♦	11% ♦♦	42% ♦♦	7% ♦♦	13% ♦	15% ♦♦	3% ♦♦	0% ♦♦♦	29% ♦♦	N/A
East Providence														
Eastgate Nursing-Recovery	16% ♦♦	11% ♦	N/A	N/A	0% ♦♦♦	13% ♦♦	54% ♦♦	6% ♦♦	6% ♦	19% ♦♦	20% ♦	0% ♦♦♦	24% ♦♦	N/A
Evergreen House Health Center	40% ♦	5% ♦♦	17% ♦♦	8% ♦♦	0% ♦♦♦	8% ♦♦	46% ♦♦	9% ♦	6% ♦	25% ♦	11% ♦♦	6% ♦	25% ♦♦	41% ♦
Harris Health Center	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Hattie Ide Chaffee Home	27% ♦	6% ♦♦	N/A	N/A	3% ♦♦	21% ♦♦	N/A	7% ♦♦	3% ♦♦	N/A	8% ♦♦	0% ♦♦♦	13% ♦♦	23% ♦♦
Health Havens Nursing & Rehab	18% ♦♦	1% ♦♦	N/A	N/A	12% ♦	11% ♦♦	N/A	9% ♦♦	0% ♦♦♦	N/A	16% ♦	0% ♦♦♦	13% ♦♦	30% ♦♦
Linn Health Care Ctr	12% ♦♦	15% ♦	N/A	0% ♦♦♦	0% ♦♦♦	11% ♦♦	24% ♦♦♦	4% ♦♦	0% ♦♦♦	7% ♦♦	10% ♦♦	0% ♦♦♦	27% ♦♦	N/A
Orchard View Manor Nurs/Rehab	16% ♦♦	5% ♦♦	21% ♦♦	5% ♦♦	0% ♦♦♦	15% ♦♦	33% ♦♦♦	6% ♦♦	1% ♦♦	14% ♦♦	12% ♦♦	13% ♦	17% ♦♦	32% ♦♦
Riverside Nursing Home	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Waterview Villa	7% ♦♦♦	3% ♦♦	8% ♦♦♦	0% ♦♦♦	11% ♦	13% ♦♦	49% ♦♦	6% ♦♦	0% ♦♦♦	6% ♦♦♦	9% ♦♦	4% ♦♦	35% ♦	9% ♦♦♦

**Clinical Measures for Nursing Homes in Providence County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
<b>Foster</b>														
Nancy Ann Nursing Home, Inc.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	M	M	M
<b>Greenville</b>														
Cortland Place	9% ♦♦	3% ♦♦	12% ♦♦	0% ♦♦♦	10% ♦	6% ♦♦	51% ♦♦	3% ♦♦	0% ♦♦♦	14% ♦♦	4% ♦♦	N/A	N/A	N/A
Haven Health Ctr of Greenville	11% ♦♦	2% ♦♦	25% ♦♦	13% ♦	1% ♦♦	5% ♦♦♦	47% ♦♦	8% ♦♦	1% ♦♦	8% ♦♦	12% ♦♦	0% ♦♦♦	11% ♦♦	19% ♦♦
Village At Waterman	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<b>Johnston</b>														
Briarcliffe Healthcare Fac	11% ♦♦	1% ♦♦	N/A	7% ♦♦	7% ♦♦	8% ♦♦	25% ♦♦♦	2% ♦♦	1% ♦♦	12% ♦♦	7% ♦♦	0% ♦♦♦	26% ♦♦	31% ♦♦
Cherry Hill Manor	20% ♦♦	6% ♦♦	17% ♦♦	7% ♦♦	0% ♦♦♦	17% ♦♦	54% ♦♦	6% ♦♦	3% ♦♦	25% ♦	15% ♦	4% ♦♦	27% ♦♦	24% ♦♦
Morgan Health Center	16% ♦♦	4% ♦♦	24% ♦♦	7% ♦♦	0% ♦♦♦	16% ♦♦	38% ♦♦	9% ♦♦	0% ♦♦♦	12% ♦♦	14% ♦♦	4% ♦♦	14% ♦♦	26% ♦♦
<b>Lincoln</b>														
Holiday Retirement Home Inc	16% ♦♦	6% ♦♦	20% ♦♦	5% ♦♦	1% ♦♦	14% ♦♦	39% ♦♦	5% ♦♦	1% ♦♦	20% ♦♦	17% ♦	3% ♦♦	10% ♦♦	22% ♦♦
<b>North Providence</b>														
Golden Crest Nursing Ctr	20% ♦♦	3% ♦♦	29% ♦	5% ♦♦	0% ♦♦♦	15% ♦♦	65% ♦	4% ♦♦	5% ♦	18% ♦♦	19% ♦	3% ♦♦	9% ♦♦♦	38% ♦
Hopkins Manor Ltd	13% ♦♦	6% ♦♦	22% ♦♦	4% ♦♦	3% ♦♦	7% ♦♦♦	40% ♦♦	8% ♦♦	1% ♦♦	10% ♦♦	7% ♦♦	3% ♦♦	11% ♦♦	45% ♦
<b>North Scituate</b>														
Harris Manor At Chopmist Hill	N/A	N/A	N/A	N/A	0% ♦♦♦	13% ♦♦	N/A	N/A	0% ♦♦♦	N/A	7% ♦♦	N/A	N/A	N/A
<b>North Smithfield</b>														
St Antoine Residence	13% ♦♦	4% ♦♦	14% ♦♦	1% ♦♦	3% ♦♦	19% ♦	43% ♦♦	4% ♦♦	1% ♦♦	12% ♦♦	8% ♦♦	3% ♦♦	14% ♦♦	N/A
Woodland Convalescent Center	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7% ♦♦	N/A	N/A	N/A
<b>Pawtucket</b>														
Haven Health Ctr of Pawtucket	24% ♦	4% ♦♦	16% ♦♦	9% ♦	4% ♦♦	17% ♦♦	58% ♦	6% ♦♦	2% ♦♦	27% ♦	19% ♦	7% ♦	12% ♦♦	22% ♦♦
Jeanne Jugan Residence	8% ♦♦	0% ♦♦♦	N/A	7% ♦♦	2% ♦♦	21% ♦♦	19% ♦♦♦	0% ♦♦♦	0% ♦♦♦	7% ♦♦	2% ♦♦	N/A	N/A	N/A
Oak Hill Nursing and Rehab Ctr	19% ♦♦	4% ♦♦	18% ♦♦	2% ♦♦	8% ♦	13% ♦♦	50% ♦♦	6% ♦♦	1% ♦♦	15% ♦♦	13% ♦♦	0% ♦♦♦	10% ♦♦	23% ♦♦

**Clinical Measures for Nursing Homes in Providence County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
<b>Providence</b>														
Bannister Nursing Care Center	14% ♦♦	2% ♦♦	N/A	2% ♦♦	0% ♦♦♦	21% ♦	7% ♦♦♦	2% ♦♦	0% ♦♦♦	15% ♦♦	1% ♦♦♦	0% ♦♦♦	4% ♦♦♦	N/A
Bay Tower Nursing Center	2% ♦♦♦	3% ♦♦	N/A	2% ♦♦	20% ♦	8% ♦♦	16% ♦♦♦	5% ♦♦	2% ♦♦	4% ♦♦♦	2% ♦♦♦	N/A	N/A	N/A
Berkshire Place	11% ♦♦	7% ♦	13% ♦♦	0% ♦♦♦	5% ♦♦	11% ♦♦	40% ♦♦	5% ♦♦	0% ♦♦♦	10% ♦♦	8% ♦♦	0% ♦♦♦	24% ♦♦	10% ♦♦♦
Bethany Home of RI	N/A	N/A	N/A	N/A	N/A	0% ♦♦♦	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Charlesgate Nursing Center	12% ♦♦	1% ♦♦♦	14% ♦♦	0% ♦♦♦	3% ♦♦	22% ♦	43% ♦♦	3% ♦♦	1% ♦♦	9% ♦♦	7% ♦♦	9% ♦	13% ♦♦	10% ♦♦♦
Elmhurst Extended Care Fac	13% ♦♦	9% ♦	18% ♦♦	1% ♦♦	2% ♦♦	10% ♦♦	54% ♦♦	7% ♦♦	8% ♦	8% ♦♦	12% ♦♦	0% ♦♦♦	18% ♦♦	15% ♦♦
Elmwood Health Center	6% ♦♦♦	6% ♦♦	N/A	0% ♦♦♦	9% ♦	10% ♦♦	33% ♦♦	3% ♦♦	0% ♦♦♦	8% ♦♦	4% ♦♦	4% ♦♦	14% ♦♦	N/A
Epoch Senior Health Care	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7% ♦	27% ♦♦	19% ♦♦
Hallworth House	N/A	N/A	N/A	N/A	0% ♦♦♦	N/A	37% ♦♦	N/A	0% ♦♦♦	N/A	9% ♦♦	N/A	N/A	N/A
Hillside Health Center	M	M	M	M	M	M	M	M	M	M	M	M	M	M
Home & Hospice Care of RI	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Park View Nursing Home	3% ♦♦♦	3% ♦♦	N/A	7% ♦♦	0% ♦♦♦	5% ♦♦♦	28% ♦♦♦	6% ♦♦	5% ♦♦	5% ♦♦♦	3% ♦♦	N/A	N/A	N/A
Roger Williams Hosp	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15% ♦	58% ♦	38% ♦
Rosewood Manor Ltd	13% ♦♦	7% ♦♦	19% ♦♦	5% ♦♦	2% ♦♦	13% ♦♦	37% ♦♦	4% ♦♦	2% ♦♦	10% ♦♦	5% ♦♦	0% ♦♦♦	25% ♦♦	29% ♦♦
St Joseph Hosp. Spec. Care	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0% ♦♦♦	26% ♦♦	40% ♦
Steere House Nurs/Rehab Ctr	26% ♦	10% ♦	11% ♦♦	0% ♦♦♦	6% ♦♦	8% ♦♦	22% ♦♦♦	2% ♦♦	0% ♦♦♦	17% ♦♦	10% ♦♦	5% ♦♦	29% ♦♦	21% ♦♦
Summit Medical Center, Inc	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Tavares Pediatric	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Tockwotton Home	13% ♦♦	2% ♦♦	N/A	N/A	0% ♦♦♦	23% ♦	N/A	3% ♦♦	0% ♦♦♦	N/A	5% ♦♦	N/A	N/A	N/A

**Clinical Measures for Nursing Homes in Providence County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
<b>Smithfield</b>														
Heberts Nursing Home Inc	20% ♦♦	4% ♦♦	29% ♦	4% ♦♦	5% ♦♦	22% ♦	53% ♦♦	11% ♦	3% ♦♦	18% ♦♦	13% ♦♦	10% ♦	5% ♦♦♦	22% ♦♦
Heritage Hills Nursing Ctr	14% ♦♦	1% ♦♦♦	15% ♦♦	0% ♦♦♦	4% ♦♦	10% ♦♦	57% ♦	13% ♦	2% ♦♦	14% ♦♦	12% ♦♦	8% ♦♦	7% ♦♦	15% ♦♦
North Bay Manor	9% ♦♦	N/A	N/A	N/A	3% ♦♦	18% ♦♦	N/A	N/A	0% ♦♦♦	16% ♦♦	7% ♦♦	N/A	N/A	N/A
<b>Woonsocket</b>														
Ballou Home for the Aged	14% ♦♦	4% ♦♦	N/A	0% ♦♦♦	0% ♦♦♦	3% ♦♦♦	9% ♦♦♦	0% ♦♦♦	0% ♦♦♦	20% ♦♦	9% ♦♦	N/A	N/A	N/A
Friendly Home Inc	19% ♦♦	1% ♦♦♦	16% ♦♦	3% ♦♦	0% ♦♦♦	16% ♦♦	40% ♦♦	2% ♦♦♦	3% ♦♦	17% ♦♦	12% ♦♦	4% ♦♦	11% ♦♦	36% ♦♦
Mt St Francis Health Center	18% ♦♦	9% ♦	25% ♦♦	2% ♦♦	9% ♦	17% ♦♦	44% ♦♦	7% ♦♦	1% ♦♦	10% ♦♦	14% ♦	4% ♦♦	16% ♦♦	21% ♦♦
Oakland Grove Health Care Ctr	19% ♦♦	3% ♦♦	13% ♦♦	3% ♦♦	6% ♦♦	13% ♦♦	29% ♦♦♦	9% ♦	4% ♦♦	19% ♦♦	7% ♦♦	2% ♦♦	25% ♦♦	30% ♦♦
Woonsocket Health Centre	15% ♦♦	1% ♦♦♦	27% ♦♦	6% ♦♦	1% ♦♦	11% ♦♦	55% ♦♦	6% ♦♦	1% ♦♦	21% ♦	9% ♦♦	0% ♦♦♦	17% ♦♦	38% ♦
<b>State Average</b>	15%	4%	17%	3%	4%	13%	42%	6%	2%	14%	9%	3%	20%	25%
<b>National Average</b>	17%	6%	14%	3%	7%	15%	47%	6%	4%	14%	9%	3%	22%	20%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

**Clinical Measures for Nursing Homes in Washington County**  
**Alphabetical by Town and Nursing Home**  
**January – March, 2005**

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
<b>North Kingston</b>														
Roberts Health Centre Inc	13% ♦♦	4% ♦♦	N/A	N/A	3% ♦♦	21% ♦♦	N/A	5% ♦♦	3% ♦♦	N/A	10% ♦♦	2% ♦♦	11% ♦♦	17% ♦♦
Scalabrini Villa	20% ♦♦	1% ♦♦♦	29% ♦	3% ♦♦	0% ♦♦♦	14% ♦♦	43% ♦♦	1% ♦♦♦	1% ♦♦	17% ♦♦	11% ♦♦	N/A	N/A	N/A
South County Nsg & Subacute	17% ♦♦	1% ♦♦♦	13% ♦♦	N/A	0% ♦♦♦	16% ♦♦	69% ♦	6% ♦♦	5% ♦	12% ♦♦	9% ♦♦	15% ♦	9% ♦♦	23% ♦♦
<b>South Kingston</b>														
Scallop Shell Nursing Hme	17% ♦♦	3% ♦♦	12% ♦♦	N/A	0% ♦♦♦	10% ♦♦	53% ♦♦	7% ♦♦	3% ♦♦	24% ♦	2% ♦♦♦	0% ♦♦♦	28% ♦♦	14% ♦♦
South Bay Manor	X	X	X	X	X	X	X	X	X	X	X	X	X	X
South Kingstown Nurs. & Rehab Ctr	22% ♦	7% ♦♦	N/A	0% ♦♦♦	4% ♦♦	24% ♦	38% ♦♦	3% ♦♦	0% ♦♦♦	25% ♦	5% ♦♦	2% ♦♦	23% ♦♦	21% ♦♦
<b>West Kingston</b>														
Shady Acres Inc	7% ♦♦	3% ♦♦	N/A	N/A	6% ♦♦	2% ♦♦♦	N/A	9% ♦♦	2% ♦♦	9% ♦♦	4% ♦♦	N/A	N/A	N/A
<b>Westerly</b>														
Clipper Home	23% ♦	1% ♦♦	N/A	N/A	0% ♦♦♦	13% ♦♦	55% ♦♦	8% ♦♦	0% ♦♦♦	19% ♦♦	4% ♦♦	2% ♦♦	18% ♦♦	25% ♦♦
Watch Hill Manor	N/A	19% ♦	N/A	N/A	0% ♦♦♦	21% ♦♦	N/A	19% ♦	0% ♦♦♦	N/A	6% ♦♦	0% ♦♦♦	54% ♦	54% ♦
Westerly Health Center	24% ♦	12% ♦	13% ♦♦	4% ♦♦	0% ♦♦♦	18% ♦♦	34% ♦♦	7% ♦♦	1% ♦♦	22% ♦	10% ♦♦	1% ♦♦	54% ♦	23% ♦♦
Westerly Nursing Home Inc	10% ♦♦	2% ♦♦	N/A	N/A	0% ♦♦♦	14% ♦♦	N/A	3% ♦♦	0% ♦♦♦	N/A	5% ♦♦	N/A	N/A	N/A
<b>State Average</b>	15%	4%	17%	3%	4%	13%	42%	6%	2%	14%	9%	3%	20%	25%
<b>National Average</b>	17%	6%	14%	3%	7%	15%	47%	6%	4%	14%	9%	3%	22%	20%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing